

CONTROL ID: 2886484

TITLE: Roughening Temperature of Facets in Au Electrodeposition

Abstract Body: A theory has been established to describe the formation of facets on metal crystals grown from their melt. There exists a temperature for each crystallographic orientation below which it will form a facet, and above which the metal surface will be rounded and atomically rough. Here we have extended this theory to electrodeposition. We used potentiostatic electrochemical impedance spectroscopy to measure the approximate surface energy of Au at different applied potentials to determine the roughening temperature for each potential.

Funding Acknowledgement: This material is based upon work supported by the National Science Foundation Graduate Research Fellowship under Grant No. (DGE-1258923).

PRESENTATION TYPE: Oral

UNIT: 05.0 CHEMICAL PHYSICS (DCP)

SORTING CATEGORY: 05.1.1 Self-assembly of nano-structured, macromolecular, and nano-porous materials. (DCP)

Category Type: Experimental/Theoretical

AUTHORS (FIRST NAME, LAST NAME): Nathan Nesbitt¹, Samantha Jaszewski¹, Yitzi Calm¹, Luke D'Imperio¹, Aaron Rose¹, Steve Shepard³, Michael Burns¹, Fazel Fallah Tafti¹, Wilson A. Smith², Michael Naughton¹

INSTITUTIONS (ALL):

1. Physics, Boston College, Chestnut Hill, MA, United States.
2. Chemical Engineering, TU Delft, Delft, South Holland, Netherlands.
3. Integrated Sciences Cleanroom and Nanofabrication Facility, Boston College, Newton, MA, United States.

Teams: (none)